

# INDEX MAPS.

## T. 15 N., R. 1 E. 2<sup>nd</sup> Mer.

	393	393	394	394	394	395
397	6 420	5 415	4 411	3 407	2 402	1 393
	<del>420</del>	<del>419</del>	<del>415</del>	<del>411</del>	<del>406</del>	<del>401</del>
397	7 419	8 415	9 410	10 406	11 401	12 392
	<del>421</del>	<del>419</del>	<del>414</del>	<del>410</del>	<del>405</del>	<del>400</del>
396	18 418	17 414	16 409	15 405	14 400	13 392
	<del>421</del>	<del>418</del>	<del>414</del>	<del>409</del>	<del>404</del>	<del>400</del>
396	19 417	20 413	21 409	22 404	23 399	24 392
	<del>422</del>	<del>417</del>	<del>413</del>	<del>408</del>	<del>403</del>	<del>399</del>
396	30 417	29 412	28 408	27 403	26 398	25 391
	<del>422</del>	<del>416</del>	<del>412</del>	<del>408</del>	<del>403</del>	<del>398</del>
395	31 416	32 412	33 407	34 402	35 397	36 391
	<del>389</del>	<del>389</del>	<del>389</del>	<del>389</del>	<del>390</del>	<del>390</del>

## T. 14 N., R. 1 E. 2<sup>nd</sup> Mer.

	430	430-431	430-431	430-431	430-432	430-432
434	6 457	5 451	4 447	3 443	2 438	1 429
	<del>456</del>	<del>456</del>	<del>451</del>	<del>447</del>	<del>442</del>	<del>438</del>
434	7 456	8 450	9 446	10 442	11 438	12 428
	<del>455</del>	<del>455</del>	<del>450</del>	<del>446</del>	<del>442</del>	<del>437</del>
434	18 455	17 449	16 445	15 441	14 437	13 428
	<del>454</del>	<del>454</del>	<del>449</del>	<del>445</del>	<del>441</del>	<del>437</del>
433	19 454	20 449	21 445	22 440	23 436	24 428
	<del>453</del>	<del>453</del>	<del>448</del>	<del>444</del>	<del>440</del>	<del>436</del>
433	30 453	29 448	28 444	27 440	26 436	25 427
	<del>452</del>	<del>452</del>	<del>448</del>	<del>444</del>	<del>439</del>	<del>435</del>
433	31 451	32 447	33 443	34 439	35 435	36 427
	<del>425</del>	<del>425</del>	<del>425</del>	<del>426</del>	<del>426</del>	<del>426</del>

(F) The figures on the lines refer to the page.

Township N. 13 North, Range N. 1 E. 2<sup>d</sup>. Mer. Indiana

South Boundary var. 7.00 'E.'

East On S. boundary of Sec. 31, T. 13 N. R. 1 E.

12.00 a branch 20 lbs. wide C.S.

39.50 Let a post Cor. to Sec. 31 & 32 from which  
a Beech 6 m. dia. bears N 41 E 19 lbs. dist. &  
a Sugar 18 " " " S 20 W 70 " "  
Broken land, Beech, Sugar, Ash, Oak &c.

East On S. boundary of Sec. 32, T. 13 N. R. 1 E

4.00 a Branch 20 lbs. wide C.S. & W.

40.00 Let the q. Sec. post, from which  
a Beech 14 m. dia. bears S 30 E 15 lbs. dist. &  
a Beech 17 " " " N 10 E 12 " "

80.00 Let a post Cor. to Sec. 32 & 33, from which  
a Sugar 12 m. dia. bears N 12 E 20 lbs. dist. &  
a Do 9 " " " S 30 W 32 " "  
Broken & hilly land, with some intervening valley  
timber Sugar, Beech, Oak, Ash &c. underg<sup>th</sup>.  
Hazel & Sassafras. July 3<sup>rd</sup> 1819

East On S. boundary of Sec. 33, T. 13 N. R. 1 E.

20.00 a Creek 20 lbs. wide C.S.

40.00 Let the q. Sec. post, from which  
a Sugar 18 m. dia. bears N 40 E 19 lbs. dist. &  
a Dogwood 6 " " " S 58 W 16 " "

42.08 a Beech 33 " "

80.00 Let a post Cor. to Sec. 33 & 34, from which  
a Beech 20 m. dia. bears N 69 E 27 lbs. dist. &  
a Do 7 " " " S 85 W 25 " "  
This mile broken some good on the Creek, timber  
Beech, Sugar, Poplar, Oak, Gum, little underg<sup>th</sup>.

East On S. boundary of Sec. 34, T. 13 N. R. 1 E.



T13 N R1 E. 2<sup>nd</sup> Mer. Indiana

- 15.50 a Branch 20 lbs. wide C.P.S.  
 40.00 At the q. Sec. post, from which  
 an Elm 6 m. dist. bears N 37 E 4 3 lbs. dist. &  
 an Ash 5 " " " S 67 E 3 2 " "  
 65.42 a Beech 28 " "  
 80.00 At a post Cor. to Sec. 34 & 35, from which  
 an Elm 8 m. dist. bears N 52 E 16 lbs. dist. &  
 an Ash 7 " " " S 42 E 13 " "  
 Good farming land; Beech, Sugar, Ash, Elm, Oak &c.

- East On S. boundary of Sec. 35, T13 N. R1 E.  
 15.37 a Sugar 27 m. dist.  
 40.00 At the q. Sec. post, from which  
 a Locust 15 m. dist. bears N 1 W 36 lbs. dist. &  
 a Hackberry 6 " " " S 8 W 21 " "  
 42.27 a Sugar 30 " "  
 79.25 a Creek 200 lbs. wide C.P.S.W.  
 80.00 At a post Cor. to Sec. 35 & 36, from which  
 a Hickory 9 m. dist. bears S 86 W 4 2 lbs. dist.  
 1<sup>st</sup> rate bottom land, timber Sugar, Locust,  
 Hackberry, Buckeye, Elm, Walnut &c. undir.  
 Spec of prairie &c.

- East On S. boundary of Sec. 36, T13 N. R1 E  
 40.00 At the q. Sec. post from which  
 a Buckeye 10 m. dist. bears N 65 E 8 lbs. dist. &  
 a Hickory 7 " " " S 77 W 28 " "  
 80.00 Intersected the Meridian 10.00 South of 6. m.  
 temp. post & Set a post Cor. to Towns 12 & 13  
 N. Range 1 & 2 East, from which  
 a Beech 7 m. dist. bears N 37 W 4 lbs. dist. &  
 a Ho 12 " " " S 64 E 49 " "  
 1<sup>st</sup> 1/2 mile bottom as before - last 1/2 mile good

T3 N. R1 E. 2<sup>d</sup>. Mer. Indiana

farming land, timber Sugar, Beech, Ash, Poplar  
 &c. underg<sup>th</sup> Spice &c.

East Boundary var. 6.06' E  
 North On E. boundary of Sec. 36, T3 N. R1 E.  
 2.50 a Branch 1<sup>st</sup> thr. wide Cr. S. W.  
 36.72 a Hickory 10 in. dia.  
 40.00 Let the q. Sec. post, from which  
 a Beech 18 in. dia. bears S 42 W 17 lbs. dist. &  
 a Sugar 14 " " " N 31 E 19 " "  
 54.82 a Beech 18 " "  
 80.00 Let a post Cor. to Sec. 25 & 36, from which  
 a Beech 18 in. dia. bears S 54 E 9 lbs. dist. &  
 a Do 8 " " " N 51 W 19 " "  
 Good farming land, Beech, Sugar, Poplar, ash  
 &c. but little underg<sup>th</sup>.

North On E. boundary of Sec. 25, T3 N. R1 E.  
 5.00 a Branch 2<sup>nd</sup> thr. wide Cr. S. W.  
 25.40 a Sycamore 36 in. dia.  
 40.00 Let a post Cor. to q. Sec. from which  
 an Ash 9 in. dia. bears N 45 W 18 lbs. dist. &  
 a Beech 21 " " " S 25 E 18 " "  
 62.23 a Poplar 54 " "  
 70.50 a Branch 6<sup>th</sup> thr. wide Cr. S. W.  
 80.00 Let a post Cor. to Sec. 24 & 25, from which  
 a Beech 18 in. dia. bears N 65 E 22 lbs. dist.  
 a Do 12 " " " S 36 W 22 " "  
 Good farming land, timber as above, little u. g.

North On E. boundary of Sec. 24, T3 N. R1 E.  
 17.23 a Beech 24 in. dia.  
 21.00 a Branch 6<sup>th</sup> thr. wide Cr. S. W.

T13 N. R1 E. 2<sup>nd</sup>. Mer. Indiana

- 40.00 At the q. Sec. post, from which  
 a Beech 6 in. dia. bran S54 E 5 lks. dist. of  
 a Hackberry 18 " " " S49 W 7 " "
- 41.50 a Creek 170 lks. wide C.P. West
- 80.00 At a post, Cor. to Sec. 13 & 24 from which  
 a Beech 16 in. dia. bran N55 E 5 lks. dist. of  
 a Do 15 " " " N70 W 27 " "
- Good farming land timber as before. July 4<sup>th</sup> 1819

- North On E. boundary of Sec. 13
- 30.70 a Walnut 30 in. dia.
- 40.00 At the q. Sec. post, from which  
 a Hackberry 14 in. dia. bran S65 E 26 lks. dist. of  
 a Buckeye 10 " " " N61 W 23 " "
- 54.50 a Creek 150 lks. wide C.P. S.E.
- 58.54 a Sycamore 30 in. dia.
- 65.00 Same Creek C.P. S.W.
- 80.00 At a post Cor. to Sec. 12 & 13, from which  
 a Sycamore 24 in. dia. bran N25 W 80 lks. dist. of  
 a Buckeye 16 " " " S38 W 35 " "
- This mile low bottom Subject to inundation, timber  
 Sycamore, Cottonwood, Buckeye, Spruce, part in the  
 bend of the Creek.

- North On E. boundary of Sec. 12, T13 N. R1 E
- 12.00 a Creek 150 lks. wide C.P. S.E.
- 18.00 Same 150 " " " S.W.
- 27.00 Same 150 " " " S.E.
- 37.73 a Walnut 20 in. dia. in the line
- 40.00 At the q. Sec. post, from which  
 a Locust 7 in. dia. bran S4 W 5 lks. dist. of  
 a Buckeye 10 " " " N68 W 9 " "
- 41.48 a Walnut 36 " " in the line

T13 N R1 E 2<sup>d</sup> Mer. Indiana

80.00 Set a post Cor. to Sec. 1 & 12, T13 N. R1 E. from which  
an Ash — m. diam. bears N21 E 31 k. dist. &  
a Hickory 7 " " " N70 W23 " "  
Rich Bottom, Walnut, Lym, Sugar, Hackberry &c.

North On E. boundary of Sec. 1, T13 N. R1 E.

81.00 a Branch 4<sup>th</sup> wide C.P. S.W.

37.50 a do 10 " wide " S.W.

40.00 Set the q. Sec. post, from which  
a Sugar 6 m. diam. bears N23 E 8 k. dist. &  
an Ash 10 " " " N23 E 8 " "

71.05 a poplar 70 m. diam. (what an everlasting parcel of Shingles this route makes)

74.90 Intersected parallel at Corner of Towns 13 & 14 N.  
Range 1 & 2 E. Good farming land, timber Sugar,  
Beech, Walnut, Poplar, Spruce, Pawpaw &c.

North Boundary

var. 6.45' E.

East On the S. boundary of Sec. 31, T14 N. R1 E.

1.00 Set the q. Sec. post from which

a Beech 25 m. diam. bears N56 E 28 k. dist. &

a do 10 " " " N57 W26 " "

8.00 a Walnut 33 " "

41.00 Set a post Cor. to Sec. 31 & 32, T14 N. R1 E. from which

a Hackberry 31 m. diam. bears N25 W 7 k. dist. &

a do 14 " " " S32 E 27 " "

Rich rolling land, Sugar, Walnut, Hackberry, Poplar  
&c. under 1<sup>st</sup> Spruce &c

East On S. boundary of Sec. 32, T14 N. R1 E.

3.00 a Branch 4<sup>th</sup> wide C.P. N.E.

27.33 a W. Oak 33 m. diam. with the line

40.00 Set the q. Sec. post, from which

a Beech 24 m. diam. bears N12 W11 k. dist. &



T13 N R1 E. 2<sup>d</sup> Mer.

an Ash 7 in. dia. brans S 72 E 15 lbs. dist. &  
 58.00 a Branch 12 lbs. wide C.P. N.W.  
 80.00 At a post Cor. to Sec. 32 & 33, T14 N. R1 E. from which  
 a Hickory 18 in. dia. brans N 48 E 4 lbs. dist. &  
 a Walnut 27 " " " S 58 W 20 " "  
 Sand timber &c. same as on the last mile

East On S. boundary of Sec. 33, T14 N. R1 E.  
 40.00 At the q. Sec. post from which  
 a Sugar 14 in. dia. brans N 5 W 10 lbs. dist. &  
 a Sycamore 7 " " " S 29 W 25 " "  
 40.69 a Hickory 24 " "  
 57.00 a Branch 6 lbs. wide C.P. S.  
 75.00 a do 4 " " " North  
 80.00 At a post Cor. to Sec. 33 & 34, T14 N. R1 E. from which  
 a Cottonwood 24 in. dia. brans S 25 W 5 lbs. dist. &  
 a do 8 " " " N 11 W 18 " "  
 Sand timber &c. same as on the last mile

East On S. boundary of Sec. 34, T14 N. R1 E.  
 18.10 a Sugar 24 in. dia. in the line  
 40.00 At the q. Sec. post, from which  
 a Beech 20 in. dia. brans N 58 E 24 lbs. dist. &  
 a Poplar 20 " " " S 20 E 23 " "  
 62.54 a Poplar 50 " "  
 65.00 a Branch 15 lbs. wide C.P. N.E.  
 80.00 At a post Cor. to Sec. 34 & 35, T14 N. R1 E. from which  
 a Sugar 7 in. dia. brans S 57 W 10 lbs. dist. &  
 a do 5 " " " N 24 W 18 " "  
 Broken land, Beech, Sugar, Walnut, Ash &c.  
 little winding<sup>th</sup> July 5<sup>th</sup> 1819

East On S. boundary of Sec. 35, T14 N. R1 E.



# T13 N R1 E 2<sup>d</sup>. Mer. Indiana

- 20.53 an Oak 18 in. dia. in the line  
 37.50 a Branch 4 hrs. wide C.P. N.E.  
 40.00 At the q. Sec. post, from which  
 a Sugar 7 in. dia. bears S65 E 3 hrs. dist. of  
 a Do 5 " " " N25 W 14 " "  
 43.00 a Branch 5 hrs. wide C.P. N.E.  
 60.93 a Beech 30 in. dia. in the line  
 65.00 a Branch 5 hrs. wide C.P. N.E.  
 79.25 a Creek 150 hrs. wide C.P. South  
 80.00 At a post Cor. to Sec. 35 & 36, T14 N. R1 E. (in creek) from  
 which a Sycamore 10 in. dia. bears S44 W - hrs. dist. of  
 an Ash 9 " " " N75 E 75 " "  
 1<sup>st</sup> rate land, timber Sugar, Walnut, Ash, Beech &c.

- East On S. boundary of Sec. 36, T14 N R1 E,  
 40.00 At the q. Sec. post, from which  
 a Hackberry 18 in. dia. bears S39 W 18 hrs. dist. of  
 a Buckeye 10 " " " N1 W 19 " "  
 54.89 a Beech 15 " " in the line  
 80.00 Intersected Meridian Corner. of Towns 13 & 14 N.  
 Ranges 1 & 2 E. from which  
 a Hackberry 18 in. dia. bears N61 W 30 hrs. dist. of  
 a Buckeye 10 " " " S40 E 22 " "  
 Bottom 1<sup>st</sup> quality, Walnut, Sugar, Hackberry  
 Locust, rinderg<sup>th</sup>, Spice, pawpaw &c.  
 Surveyed by John McDonald, L.L.

West Boundary or 2<sup>d</sup>. Principal Meridian  
 Variation 6° 10' E.

- North On E. boundary of Sec. 36, T13 N. R1 W  
 40.00 At the q. Sec. post, from which  
 a Sycamore 12 in. dia. bears S60 W 29 hrs. dist. of  
 a Sugar 4 " " , N62 E 32 " .

T13 N R1 E 2<sup>d</sup> Mer, Indiana

- 40.00 a Brook 12 lks. wide C. S. E.  
 80.00 Set a post Cor. to Sec. 25 & 36, T13 N. R1 W. from which  
 a W. Oak 30 m. dist. bear S26 E 20 lks. dist. &  
 a do 12 " " " S83 W 21 " "  
 Land broken & hilly, timber Oak, Beech, Hickory &c  
 June 11<sup>th</sup> 1819

- North On E. boundary of Sec. 25, T13 N. R1 W  
 40.00 Set the q. Sec. post, from which  
 a Hickory 9 m. dist. bear N22 W 26 lks. dist. &  
 a Beech 30 " " " S4 E 25. " "  
 80.00 Set a post Cor. to Sec. 24 & 25, T13 N. R1 W. from which  
 a Beech 12 m. dist. bear S77 E 21 lks. dist. &  
 a do 8 " " " S86 W 15 " "  
 South 1/2 mile similar to the last mile - north 1/2 mile  
 - being farming land, rather broken

- North On E. boundary of Sec. 24, T13 N. R1 W  
 40.00 Set the q. Sec. post, from which  
 a W. Walnut 14 m. dist. bear S40 W 7 lks. dist. &  
 a Hickory 9 " " " N22 E 18 " "  
 80.00 Set a post Cor. to Sec. 13 & 24, T13 N. R1 W. from which  
 a Beech 24 m. dist. bear S53 E 8 lks. dist. &  
 a Sugar 12 " " " North 27 " "  
 Land level Beech, Sugar, Hickory, Ash, Good farm-  
 ing land June 12<sup>th</sup> 1819

- North On E. boundary of Sec. 13, T13 N. R1 W.  
 35.00 a Brook 20 lks. wide C. S. E.  
 40.00 Set the q. Sec. post, from which  
 a Beech 14 m. dist. bear S52 W 11 lks. dist. &  
 a do 18 " " " S87 E 37 " "  
 80.00 Set a post Cor. to Sec. 12 & 13, T13 N. R1 W. from which

T13N R1E 2<sup>d</sup> Mer. Indiana

an Elm 18 m. dist. bearing N68 E 26 lbs. dist.  
 a B. Ash 9 " " " N63 W 6 " "  
 Sand level, Beech, Sugar, Hickory, Elm, rich &  
 good farming land

North On E. boundary of Sec. 12, T13N. R1W  
 40.00 At the q. Sec. post, from which  
 a Beech 12 m. dist. bearing N40 E 39 lbs. dist.  
 a Do 8 " " " S52 W 2 " "  
 80.00 At a post Cor. to Sec. 1, 12, T13N. R1W, from which  
 a Beech 14 m. dist. bearing N17 E 9 lbs. dist.  
 a Do 18 " " " N60 W 29 " "  
 Sand timber &c. Same as on the last mile

North On E. boundary of Sec. 1, T13N. R1W  
 40.00 At the q. Sec. post, from which  
 a W. Ash 24 m. dist. bearing N41 W 6 lbs. dist.  
 a Sugar 7 " " " S13 E 22 " "  
 81.00 At a post Cor. to Towns 13 & 14 N. Range 1 E and  
 1<sup>st</sup> 2<sup>d</sup> Meridian, from which  
 a Sugar 18 m. dist. bearing N42 E 31 lbs. dist.  
 a Hackberry 18 " " " S25 W 30 " "  
 Sand, timber &c. Same as on the last mile  
 Surveyed by William Harris, L. S. S.

	Subdivision	var. 6° 20' E
North	Between Sec. 35 & 36, T13N. R1E.	
2.00	a Blue Ash 9 m. dist.	
35.00	a Gray Ash 36 " "	
40.00	At the q. Sec. post, from which	
	a Beech 12 m. dist. bearing S38 E 18 lbs. dist.	
	a Do 9 " " " N68 W 39 " "	
55.00	enter hilly land	

T13N R1E, 2<sup>d</sup> Mer. Indiana

- 60.00 a large Deer lick  
 75.00 a Beech 12 in. dia. in the line  
 80.00 Set a post Cor. to Sec. 25, 26, 35 & 36, from which  
 a Beech 9 in. dia. bears North 8 lbs. dist. of  
 a Do 15 " " " 128 W 18 " "  
 1<sup>st</sup> 1/2 mile rich, <sup>bottom</sup> timber Beech, Hackberry, Sugar,  
 Ash, Walnut, Locust, underg<sup>th</sup> Spruce & pawpaw - last  
 1/2 steep hills, NW 1/4 Oak & Beech, underg<sup>th</sup> Oak &  
 Hickory, Crab, & Greenbrier &c

East On Random between Sec. 25 & 36, T13N. R1E.

10.25 a Spring 5 lbs. wide C.P. S.

15.00 enter bottom

24.50 a large Creek 150 lbs. wide C.P. S. E.

40.00 Set temp<sup>y</sup>. of Sec. post

81.25 Intersected the E. boundary 271 lbs. S. of the  
 post - 1<sup>st</sup> 1/2 hilly & poor - 2<sup>nd</sup> 1/2 level & rich, timber  
 Beech, Sugar, Walnut, Beech &c.

West On true line between Sec. 25 & 36, T13N. R1E.

40.62 1/2 Set of Sec. post at an <sup>old</sup> dist on a true line, from which  
 a Gray Ash 9 in. dia. bears N 76 1/2 W 8 lbs. dist. of  
 a Mulberry 12 " " " 111 W 19 " "

81.25 to Sec. Corner. Sept. 6<sup>th</sup>, 1869

North Between Sec. 25 & 26, T13N. R1E.

1.54 a Red Oak 18 in. dia.

35.50 a W. Oak 42 " "

38.75 a Brook 20 lbs. wide C.P. S. E.

40.00 Set the of Sec. post, from which  
 a Sugar 15 in. dia. bears N 54 W 43 lbs. dist. of  
 an Elm 9 " " " 19 1/2 W 33 " "

41.02 a Beech 6 " "



T13N R1E. 2<sup>d</sup>. Mer. Indiana

- 67.05 a Red Oak 24 in. dia. in the line  
 80.00 Set a post Cor. to Secs. 23, 24, 25 & 26, from which  
 a Sugar tree 18 in. dia. bran N10 $\frac{1}{2}$ E 18 lks. dist. of  
 an Elm 9 " " " N11E 40 " "  
 From half mile Corner to this a brook alternately  
 Crossing line running a South Course.

- East On Random betw. Secs. 24 & 25, T13N. R1E  
 40.00 Set temp. q. Sec. post,  
 61.75 a Creek 150 lks. wide C. S.  
 81.08 Intersected the E. boundary 174 lks. S. of the Corner  
 Timber part, Hickory, Beech, Sugar tree, Ash & Walnut  
 underg. Spruce - last  $\frac{1}{2}$  mile bottom

- West On true line between Secs. 24 & 25, T13N. R1E  
 40.54 Set the q. Sec. post, at a q. dist. from which  
 a Beech 24 in. dia. bran N38 $\frac{1}{2}$ W 18 lks. dist. of  
 a Elm 6 " " " N42 $\frac{1}{2}$ E 33 $\frac{1}{2}$  " "  
 81.08 to Sec. Cor. Sept. 7<sup>th</sup> 1819

- North Between Secs. 23 & 24, T13N. R1E. 2<sup>d</sup>. Mer.  
 3.50 an Ash 16 in. dia. in the line  
 33.15 a W. Oak 18 " " " "  
 34.50 a Branch 5 lks. wide C. S. W.  
 40.00 Set the q. Sec. post, from which  
 a Hickory 18 in. dia. bran N18E 8 $\frac{1}{2}$  lks. dist. of  
 a Beech 20 " " "  
 57.88 a W. Oak 42 " " in the line  
 80.00 Set a post Cor. to Secs. 13, 14, 23 & 24, from which  
 an Ironwood 6 in. dia. bran S80E 26 lks. dist. of  
 a Beech 8 " " " S1E 32 " "  
 All hills, very steep & short, timber Oak &c.



T13N R1E 2<sup>d</sup>. Mer. Indiana

East On Rand<sup>m</sup> betw<sup>n</sup> Sec. 13 & 24, T13N, R1E  
2.00 a Creek 20<sup>th</sup>. wide C. S. E.

31.50 to a Spring branch C. S.

40.00 At temp<sup>y</sup>. q<sup>r</sup>. Sec. post.

80.56 Intersected the E. boundary 37<sup>th</sup>. S. of the post  
Land thin, timber, Beech, Oak, Ash, & Walnut  
underg<sup>th</sup>. Oak grub, Hickory & Spice. Sept. 8. 1819

West On true line between Sec. 13 & 24, T13N, R1E.

40.28 At q<sup>r</sup>. Sec. post at av<sup>g</sup>. dist. on true line, from which  
a Beech 14 in. dia. bears S 59° W 49 ft. dist. &  
a do 6 " " " N 54° E 16 " "

80.56 to Sec. Corner

North Between Sec. 13 & 14, T13N, R1E.

7.50 enter a bottom

9.80 a Beech 20 in. dia. in the line

23.25 a W. Oak 30 " " " " "

40.00 At the q<sup>r</sup>. Sec. post, from which  
a Sugar 12 in. dia. bears N 80° W 15 ft. dist. &  
a Beech 6 " " " N 65° E 10 " "

49.23 a Red Oak 36 " " in the line

70.00 a Beech 15 " " " "

80.00 At a post Cor. to Sec. 11, 12, 13 & 14, from which  
a W. Oak 16 in. dia. bears N 23° E 24 ft. dist. &  
an Ironw<sup>d</sup>. 9 " " " S 40° W 24 " "

Land level, timber, Beech, Sugar, Poplar & Oak  
Land level & thin 2<sup>d</sup>. rate

East On Rand<sup>m</sup> between Sec. 12 & 13, T13N, R1E

40.00 At temp<sup>y</sup>. q<sup>r</sup>. Sec. post

75.00 enter a bottom

80.21 Intersected the E. boundary 229<sup>th</sup>. S. of Corner.

T13N R1E 2<sup>d</sup>. Mer. Indiana

First half level rich timber, Beech, Ash, Poplar  
Walnut Sugar tree; in hills Soap Stone, undg<sup>th</sup> Spice.

West On true line between Sec. 12 & 13, T13N. R1E.  
40.10  $\frac{1}{2}$  set of Sec. post at ang. dist. on true line, from which  
a Sugar 22 m. diam. bears N 65 W 16 lks. dist. &  
a Beech 6 " " " N 49 E 7 " "  
80.21 to Section Corner

North Between Sec. 11 & 12, T13N. R1E. 2<sup>d</sup>. Mer.

8.20 an Elm 24 m. diam. in the line  
39.11 a Beech 20 " " " "  
40.00 set the of Sec. post, from which  
a Sugar tree 15 m. diam. bears N 26 E 29 lks. dist. &  
a Beech 24 " " " S 34 W 11  $\frac{1}{2}$  " "  
53.94 a Sugar tree 11 " " in the line  
79.25 enter a bottom  
80.00 set a post cor. to Sec. 1, 2, 11 & 12, from which  
a Hickory 9 m. diam. bears N 70 W 3 lks. dist. &  
a Sugar 6 " " " S 38 E 20 " "  
Land level. 1  $\frac{1}{2}$  mile thin - 2  $\frac{1}{2}$  m. rich timber.  
W. & B. Oak, Beech, Poplar, Ash, undg<sup>th</sup> dogwood  
Stone Soap Stone.

East On Random between Sec. 1 & 12, T13N. R1E.

8.01 a Brook 12 lks. wide C. E. (S.)  
24.50 leave Brook 12 lks. wide which runs on line E. & N.  
25.00 enter a bottom  
40.00 set temp<sup>y</sup> of Sec. post  
48.00 a large brook 65 lks. wide course S. E.  
79.85 Intersected the E. boundary 480 lks. S. of Corner  
Timber Hackberry, Buckeye, Hickory, Beech &  
Sugar tree undg<sup>th</sup> Spice, persimmon. Land rich

T13 N. R1 E. 2<sup>d</sup> Mer. Indiana

West On true line between Sec. 1 & 12, T13 N. R1 E.  
 39.92½ At qt. Sec. post at a J. dist. on true line, from which  
 a Sugar 6 mi. dist. bears S43½ E 6 lks. dist. &  
 a Do 9 " " " N70½ W 29 " "  
 79.85 to Sec. Corner.

North Between Sec. 1 & 2, T13 N. R1 E. 2<sup>d</sup> Mer.

1.50 a Creek 50 lks. wide at S.E.  
 5.50 a Spring branch 5 lks. wide at S.E.  
 6.00 a Walnut 24 in. diam. in the line  
 30.40 a Hackberry 20 " " " "  
 40.00 At the qt. Sec. post, from which  
 a Sugar 10 mi. dist. bears N42 E 31 lks. dist. &  
 a Beech 28 " " " S62 W 14½ " "  
 54.80 a Sugar 9 " " in the line  
 69.00 an Elm 36 " " " "  
 73.17 a Creek Crossing the line at S.E.  
 75.57 Intersected the N. boundary. Corner in Creek  
 40 lks. E. of Corner post in Creek - At post  
 September 9<sup>th</sup> 1819  
 (From the above notes it cannot be known whether the  
 intersection was E. or W. of the Cor. on the Town line)

North Between Sec. 34 & 35, T13 N. R1 E. 2<sup>d</sup> Mer.

3.00 an Ash 14 mi. diam. in the line  
 25.00 enter fallen timber  
 36.14 an Ash 36 mi. diam. in the line  
 40.00 At the qt. Sec. post, from which  
 a Hickory 9 mi. dist. bears N57 E 23 lks. dist. &  
 a Walnut 4 " " " S48 W 26 " "  
 45.00 leave the fallen timber  
 55.00 an Elm 24 mi. diam. on the line  
 80.00 At a post Cor. to Sec. 26, 27, 34 & 35, from which

T13 N. R1 E. 2<sup>nd</sup> Mer. Indiana

a Gray Ash 5 mi. diam. brans N1 W14 Ch. dist. of  
 a Beech 13 " " " S40 E21 " "  
 First 1/2 mile rich - 2<sup>nd</sup> 1/2 wet ground, Growth  
 Sugar, Beech, Walnut, Oak, Hickory & Elm.

East On Random betw<sup>n</sup> Secs. 26 & 35, T13 N. R1 E.

15.00 enter hills, very high & brushy  
 25.00 enter a bottom  
 30.00 to hills again  
 40.00 Set temp. q. Sec. post  
 81.00 Intersected the N & S. line 91 lks. S. of the Corner  
 (no Description) September 10<sup>th</sup> 1819

West On true line between Secs. 26 & 35, T13 N. R1 E.

40.51 Set q. Sec. post at av. dist. on true line, from which  
 a W. Oak 9 mi. diam. brans S31 W39 lks. dist. of  
 a do 12 " " " N80 E31 " "  
 81.00 to Section Corner.

North Between Secs. 26 & 27, T13 N. R1 E. 2<sup>nd</sup> Mer.

20.42 a Beech 20 mi. diam. in the line  
 30.00 to hills  
 35.08 a Beech 14 mi. diam. in the line  
 40.00 Set the q. Sec. post, from which  
 an Ironwood 4 mi. diam. brans S50 W9 lks. dist. of  
 a Hickory 18 " " " S32 E22 " "  
 52.50 a P. Gum 24 " " in the line  
 80.00 Set a post Cor. to Secs. 22, 23, 26 & 27, from which  
 a Beech 14 mi. diam. brans S2 W38 lks. dist. of  
 a Hickory - " " " N1 E64 " "  
 (Description of Land &c. omitted)

East On Random between Secs. 23 & 26, T13 N. R1 E



T13 N. R1 E. 2<sup>nd</sup> Mer. Indiana

- 30.00 at Brook 10 hrs. wide C.S. N.  
 40.00 at temp. q. Sec. post  
 65.00 into a bottom  
 66.00 at Brook 20 hrs. wide C.S. S.E.  
 81.13 Intersected the N & S. line 232 hrs. S. of the corner.  
 First 1/2 mile hills & deep hollows, gravelly land.  
 in brook Soapstone - last 1/2 mile part hilly  
 timber, Beech, Sugar, ash & Oak & brushy

- West On true line between Secs. 23 & 26, T13 N. R1 E.  
 40.51 1/2 at q. Sec. post at av. dist. on true line, from which  
 a Sugar 11 mi. dist. bears N 71 1/2 E 13 hrs. dist. &  
 a B. Oak 20 " " " N 38 E 21 " "  
 81.13 to Sec. Corner.

- North Between Secs. 22 & 23, T13 N. R1 E. 2<sup>nd</sup> Mer.  
 6.53 a W. Oak 36 mi. dist. in the line  
 18.50 a Hickory 14 " " " " "  
 40.00 at the q. Sec. post, from which  
 a Hickory 4 mi. dist. bears N 8 W 14 hrs. dist. &  
 a Dogwood 4 " " " N 61 E 10 1/2 " "  
 45.60 a Beech 18 " " in the line  
 77.70 a Poplar 36 " " " " "  
 80.00 at a post Cor. to Secs. 14, 15, 22 & 23, from which  
 a Beech 12 mi. dist. bears N 39 E 33 hrs. dist. &  
 a Do 18 " " " N 40 1/2 W 32 " "  
 First 1/2 mile knobs & deep hollows, timber W & B. Oak,  
 Beech, Quirs, Hackleberry bushes, hollow Soapstone  
 Last 1/2 hilly, timber, Oak, Hickory, Beech, Poplar, Spruce  
 brush.  
 Sept. 11<sup>th</sup> 1879.

- East On Random betw. Secs. 14 & 23, T13 N. R1 E.  
 7.00 at Branch - hrs. wide C.S. N.



T13 N. R1 E. 2<sup>d</sup> Mer. Indiana

40.00 Set temp. g. Sec. post

80.36 Intersected E boundry, 96 lbs. S. of the corner  
All this line hilly & deep hollows

---

Met on true line between 14 & 23. T13 N. R1 E.40.18 Set g. Sec. post at a. J. dist. on true line, from which  
a P. Oak 24 m. dist. bear S 12 E 28 $\frac{1}{2}$  lbs. dist. of  
a Hackberry 22 " " " N 12 W 18 $\frac{1}{2}$  " "

80.36 to Cor of Sec.

---

North Between Sec. 14 & 15, T13 N. R1 E. 2<sup>d</sup> Mer

1.50 a Hackberry 18 m. dist. in the line

38.25 a Hickory 30 " " " " "

40.00 Set the g. Sec. post from which

a P. Oak 36 m. dist. bear S 42 W. 3 lbs. dist. of

a P. Oak 8 " " " N 6 W 32 " "

53.75 a P. Oak 14 " " in the line

69.00 a Brook 50 lbs. wide at P. E. in a bottom

76.00 a Beech 24 m. dist. in the line

80.00 Set a post Cor. to Sec. 10, 11, 14 &amp; 15, from which

a Beech 24 m. dist. bear N 70 E 24 lbs. dist. of

a G. Ash 30 " " " N 49 $\frac{1}{2}$  W 45 " "First  $\frac{1}{2}$  mile hilly, deep hollows, bottom of which  
is Soapstone & some flint rocks - last  $\frac{1}{2}$  mile  
from the brook bottom rich; all except bottom  
brushy & poor; timber Oak, Hickory, Beech, ash &c

---

East On Random between Sec. 14 & 15, T13 N. R1 E.

40.00 Set temp. g. Sec. post

80.43 Intersected the N. S. line 189 lbs. S. of corner

All the line rich land; Sugar Walnut, Beech,  
Poplar, undug<sup>th</sup>. Spruce.

T13 N. R1 E, 2<sup>d</sup>. Mer. Indiana

West On true line between Sec. 10 & 14, T13 N. R1 E.  
 40.21 $\frac{1}{2}$  Set q. Sec. post at av. dist. from which  
     a Beech 20 m. dia. bears N 72 E 29 $\frac{1}{2}$  lbs. dist.  
     a G. Ash 22 " " " N 89 W 25 " "  
 80.43 to Sec. Corner Sept. 13. 1819

North Between Sec. 10 & 11, T13 N. R1 E.  
 12.25 a W. Hickory 30 m. dia. in the line  
 26.25 a Brook 22 lbs. wide Cr. E.  
 28.75 a Beech 20 m. dia. in the line  
 40.00 Set the q. Sec. post, from which  
     a Sugar 20 m. dia. bears N 15 E 41 lbs. dist.  
     a Ho 8 " " " S 32 W 13 " "  
 47.25 a Swamp (Maple) timber  
 47.70 an Ash 8 m. dia. in the line  
 57.70 to high land  
 77.10 a Sugar tree 18 m. dia. in the line  
 80.00 Set a post Cor. to Sec. 2, 3, 10 & 11, from which  
     a Beech 30 m. dia. bears N 7 W 25 lbs. dist.  
     an Ash 9 " " " N 61 W 18 $\frac{1}{2}$  lbs. "  
 Timber, Sugar tree, Ash, Poplar, Walnut, Maple  
 &c. under<sup>d</sup>. Spruce & Sparrow-Land rich

East On Random between Sec. 2 & 11, T13 N. R1 E.  
 37.00 a Spring branch 5 lbs. wide Cr. S. E.  
 40.00 Set the temp. q. Sec. post  
 70.00 a Brook 20 lbs. wide Cr. N.  
 80.04 Intersected the N & S. line 188 lbs. S. of the Cor.  
 Land rich, timber Sugar, Ash, Poplar, Beech &  
 Walnut, under<sup>d</sup>. Spruce wood

West On true line between Sec. 2 & 11, T13 N. R1 E.  
 40.02 Set q. Sec. post at average dist. on true line from which

# T13 N R1 E 2<sup>nd</sup> Mer. Indiana

a Hickory 4 in. dia. bears S30 $\frac{1}{2}$ W 6 lbs. dist. of  
 a G. Ash 6 " " " N80 E 9 $\frac{1}{2}$  " "  
 80.04 to Sec. Corner.

North Between Sec. 2 & 3, T13 N. R1 E. 2<sup>nd</sup> Mer.

7.50 a Poplar 60 in. dia. in the line  
 8.50 a Brook 8 lbs. wide W. E.  
 36.50 a Spruce 18 in. dia. in the line  
 40.00 Let the qt. Sec. post, from which  
 a Beech 14 in. dia. bears N18 $\frac{1}{2}$ W 9 lbs. dist. of  
 a Do 18 " " " S20 $\frac{1}{2}$ E 22 " "  
 48.68 a Beech 12 " " in the line  
 80.62 Intersected the N. boundary 46 lbs. E. of post  
 Let a post Cor. to Sec. 2 & 3, from which  
 a Gray Ash 4 in. dia. bears North 6 lbs. dist. of  
 a Sugar 3 " " " N80 E 28 " "  
 Timber Sugar, Beech, Ash, Poplar, Hickory, &  
 Walnut; Land rich in dung. Spec. Sept. 14<sup>th</sup> 1819

North Between Sec. 33 & 34, T13 N. R1 E.

29.87 a Sugar tree 9 in. dia. stands in the line  
 39.00 a Hickory 12 " " " " "  
 40.00 Let the qt. Sec. post, from which  
 a Hickory 9 in. dia. bears S9 $\frac{1}{2}$ W 22 lbs. dist. of  
 a W. Oak 4 " " " N66 $\frac{1}{2}$ W 3 " "  
 57.13 a Beech 10 " " in the line  
 70.00 a W. Oak 24 " " " " "  
 80.00 Let a post Cor. to Sec. 27, 28, 33 & 34, from which  
 a Hickory 12 in. dia. bears N52 E 30 lbs. dist. of  
 a Do 14 " " " S79 E 10 " "  
 1 $\frac{1}{2}$  mile very hilly & poor - last  $\frac{1}{2}$  mile 2<sup>nd</sup> rate,  
 timber Beech, Hickory, W. Oak, &c.

T13 N. R1 E. 2<sup>d</sup>. Mer. Indiana

East On Random betw<sup>n</sup>. Secs. 27 & 34, T13 N. R1 E.

40.00 At temp<sup>y</sup>. of Sec. post

55.00 a bottom

82.19 Intersected the N & S. line 400 yds. S. of the post.  
1<sup>st</sup> 1/2 mile very hilly - last 1/2 mile rich bottom  
timber Beech, Hickory, W. Oak, Sept. 10<sup>th</sup> 1819

West On true line between Secs. 27 & 34, T13 N. R1 E.

41.09 1/2 At of Sec. post at av<sup>g</sup>. dist. on true line, from which  
a Beech 24 in. dia<sup>r</sup>. bears N 38<sup>o</sup> W 18 yds. dist. of

a Do 6 " " " S 42<sup>o</sup> E 33 " "

82.19 to Sec. Corner. the above of. Cor. stands on high hill

North Between Secs. 27 & 28, T13 N. R1 E. 2<sup>d</sup>. Mer.

33.00 a Beech 18 in. dia<sup>r</sup>. in the line

40.00 At the of. Sec. post, from which

a Sugar - in. dia<sup>r</sup>. bears S 22<sup>o</sup> W 22 yds. dist. of

a W. Oak 18 " " " N 26<sup>o</sup> E 15 1/2 " "

42.22 a Poplar 36 " " in the line

62.30 a B. Hick<sup>y</sup> 30 " " " " "

80.00 At a post Cor. to Secs. 21, 22, 27 & 28, from which

an Elm 10 in. dia<sup>r</sup>. bears N 47<sup>o</sup> W 35 1/2 yds. dist. of

a Poplar 18 " " " S 18<sup>o</sup> E 48 1/2 " "

1<sup>st</sup> 1/2 hilly - 2<sup>d</sup> 1/2 2<sup>d</sup>. rate timber Beech, Poplar,  
Oak, Hickory & some underg<sup>th</sup>.

East On Random betw<sup>n</sup>. Secs. 22 & 27, T13 N. R1 E.

40.00 At temp<sup>y</sup>. of Sec. post

82.13 Intersected the N & S. line, 100 yds. S. of post.

1<sup>st</sup> 1/2 mile level 2<sup>d</sup> rate - 2<sup>d</sup> 1/2 mile high hills of  
poor; timber Beech, Poplar, White Oak, Hickory,  
and Sugar tree, Sept. 14<sup>th</sup> 1819



# T13 N - R1 E, 2<sup>nd</sup> Mer. Indiana

West On true line between Sec. 22 & 27, T13 N. R1 E.  
 41.06 1/2 Let qf. Sec. post. at av. J. dist. from which  
 a R. Oak — in. dist. bears N44W17 1/2 lbs. dist. of  
 a Bassapay 12 " " " S60E30 " "  
 82.13 to Sec. Cor.

North Between Sec. 21 & 22, T13 N. R1 E, 2<sup>nd</sup> Mer.  
 14.00 a Poplar 20 in. dist. in the line  
 40.00 Let the qf. Sec. post. from which  
 a Beech 20 in. dist. bears S53W25 lbs. dist. of  
 a Elm 6 " " " N49W27 1/2 " "  
 53.25 a Sugar 10 " " in the line  
 55.14 a Poplar 36 " " " " "  
 80.00 Let a post Cor. to Sec. 15, 16, 21 & 22, from which  
 a Sugar 10 in. dist. bears S79 1/2 W19 1/2 lbs. dist. of  
 a Elm 8 " " " N31E41 " "  
 1 1/2 mile poor & hilly — 2 1/2 mi 2<sup>nd</sup> rate land, timber  
 Beech, Hickory, Poplar, W. Oak, some under <sup>Shrub</sup>

East On Random betw. Sec. 15 & 22, T13 N. R1 E.  
 40.00 Let temp. qf. Sec. post  
 82.00 Intersected the N & S. line. 138 lbs. S. of the post.  
 Land Broken 2<sup>nd</sup> rate, timber Poplar, Beech,  
 Sugar, Hickory &c.

West On true line between Sec. 15 & 22, T13 N. R1 E.  
 41.00 Let qf. Sec. post at av. J. dist. on true line, from which  
 a W. Oak 21 in. dist. bears N68E28 lbs. dist. of  
 a Sugar 28 " " " S68W32 " "  
 82.00 to Sec. Corner

North Between Sec. 15 & 16, T13 N. R1 E, 2<sup>nd</sup> Mer.  
 17.13 a Beech 12 in. dist. in the line



# T13 N. R1 E. 2<sup>d</sup> Mer. Indiana

- 29.12 a Beech 20 m. diam. in the line  
 40.00 Set the q<sup>r</sup>. Sec. post, from which  
 a Hickory 14 m. diam. bears N79 E 13 1/2 p. lks. dist. of  
 a Beech 12 " " " N9 E 12 " "  
 42.20 a Hickory 18 " " in the line  
 52.95 a Do 22 " " " " "  
 80.00 Set a post Cor. to Sec. 9, 10, 15 & 16, from which  
 a Hickory 15 m. diam. bears N27 E 32 1/2 p. lks. dist. of  
 a Do 18 " " " N48 E 25 " "  
 Land 2<sup>d</sup> rate, timber Hickory, Poplar, Sugar,  
 Beech & some undg<sup>r</sup>. of different kinds.

East On Random between Sec. 10 & 15, T13 N. R1 E.

- 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 49.75 a Brook 10 lks. wide C. S. E.  
 71.04 a Do 5 " " " N.W.  
 81.14 Intersected the N & S. line, 164 lks. S. of Corner.  
 Land 2<sup>d</sup> rate, timber Beech, Poplar, N. Oak  
 Sept. 15<sup>th</sup> 1819

West On true line betw<sup>n</sup>. Sec. 10 & 15, T13 N. R1 E

- 40.57 Set q<sup>r</sup>. Sec. post at anj. dist. from which  
 an Ash 36 m. diam. bears N50 W 26 p. lks. dist. of  
 a Hick<sup>y</sup>. 21 " " " N52 E 27 1/2 " "  
 81.14 to Sec. Cor.

North Between Sec. 9 & 10, T13 N. R1 E.

- 25.54 a Beech 17 m. diam. in the line  
 40.00 Set the q<sup>r</sup>. Sec. post, from which  
 a Beech 24 m. diam. bears N37 E 37 1/2 p. lks. dist. of  
 a Sugar 14 " " " N5 1/2 E 15 " "  
 54.50 a Sugar 18 " " in the line  
 76.25 a H. Hickory 36 " " " " "

## T3N R1E, T. Mer. Indiana

80.00 Set a post Cor. to Sec. 3, 4, 9 & 10, from which  
 a Poplar 30 m. dia. bears N65W 9 1/2 lks. dist. of  
 a Sugar 7 " " " S51W 27 1/2 " "  
 First 1/2 Broken T. rate land - T. 1/2 level T.  
 rate; timber as before

East On Random between Sec. 3 & 10, T3N, R1E.

40.00 Set a post 1/4 of Sec. post

40.50 a Brook 7 lks. wide C. S.

81.26 Intersected the N. & S. line 104 lks. S. of Corner  
 First 1/2 T. rate - T. 1/2 for T. rate, timber Poplar,  
 Sugar, Beech & Hickory.

West On true line between Sec. 3 & 10, T3N, R1E.

40.76 Set 1/4 of Sec. post at av. dist. on true line, from which  
 a Sugar - m. dia. bears N23W 4 lks. dist. of  
 another m. 4 " " " S61E 8 " "

81.26 to Sec. Cor.

North Between 3 & 4, Town 13N, R1E, T. Mer.

12.45 a Spruce 15 m. dia. in the line

28.80 a Beech 30 " " " " "

40.00 Set the 1/4 of Sec. post, from which

a Beech 30 m. dia. bears N73W 12 lks. dist. of

a Do 18 " " " S20W 26 " "

67.00 a Beech 6 " " in the line

85.02 Intersected the N. Boundary 5 lks. E. of Corner.

Set a post Cor. to Sec. 3 & 4, from which

a Poplar 30 m. dia. bears S54W 9 lks. dist. of

a Beech 7 " " " N26 1/2 W 19 " "

First 1/2 T. halves T. rate; timber Sugar, Beech  
 Poplar, Oak &c. Sept. 14<sup>th</sup> 1819

T3N R1E, 2<sup>d</sup>. Mer. Indiana

North Between Secs. 32 &amp; 33, T3N, R1E.

2.00 enter hills

3.12 a Beech 7 m. diam. in the line

35.32 a Beech 14 " " " "

40.00 Set the q. Sec. post, from which

a Sugar 14 m. diam. bears N42E 23 lks. dist. of

a B. Gum 7 " " " S40W 24 " "

67.50 a Beech 33 " " in the line

80.00 Set a post Cor. to Secs. 28, 29, 32 &amp; 33, from which

a Beech 24 m. diam. bears N81E 30 lks. dist. of

a Hickory 8 " " " S59W 27 " "

Sand poor & gravelly bottom, of hollow, round  
 sand stone, slate &c. high hills & deep hollow  
 timber; W. Oak, Beech, P. Oak, Gum, & some  
 Sugar tree, undog<sup>th</sup>, Ironw<sup>d</sup>? Dogw<sup>d</sup>? Beech, Grub,  
 and Green briar.

East On Random between Secs. 28 &amp; 33, T3N, R1E

4.50 a Bottom

6.50 a Brook 80 lks. wide C. S.

11.00 enter hills

40.00 Set temp. q. Sec. post

81.50 Intersected the N &amp; S. line 25 lks. S. of the Cor.

Very poor &amp; hilly land; timber W &amp; P. Oak, Beech &amp;c.

West On true line between Secs. 28 &amp; 33, T3N, R1E

40.75 Set q. Sec. post at an q. dist. on true line from which

a Gum 18 m. diam. bears S73 1/2 E 17 lks. dist. of

a Hickory 18 " " " N10 1/2 E 10 " "

81.50 to Sec. Cor.

North Between Secs. 28 & 29, T3N, R1E, 2<sup>d</sup>. Mer.

7.00 a W. Oak 5 m. diam. in the line

T13 N R1 E, 2<sup>d</sup> Mer. Indiana

- 40.00 Set the q. Sec. post, from which  
 a Beech 19 in. dia. bears N57 E 17 lks. dist. of  
 a Do 10 " " " N3 E 23 " "
- 60.00 a Brook 68 lks. wide C.P. S.E.
- 62.05 a Sugar tree 14 in. dia. in the line
- 80.00 Set a post Cor. to Sec. 20, 21, 28 & 29, from which  
 a W. Oak 14 in. dia. bears N8 W 20 lks. dist. of  
 a Do 18 " " " N57 E 26 " "
- Land hilly & deep hollows; timber W & B. Oak,  
 Beech & Hickory; underg<sup>g</sup> " Hick<sup>y</sup> & oak grub

- East On Random between Sec. 21 & 28, T13 N, R1 E.
- 40.00 Set temp. q. Sec. post
- 68.50 a Brook 25 lks. wide C.P. S.W.
- 80.96 Intersected the N & S. line 18 lks. S. of the corner.  
 hilly & poor land, timber W & B. Oak & Beech

- West On true line between Sec. 21 & 28, T13 N, R1 E.
- 40.48 Set q. Sec. post at adj. dist. from which  
 an Ash 20 in. dia. bears N11 E 10 lks. dist. of  
 a Beech 10 " " " N33 E 26 " "
- 80.96 to Sec. Corner. Sept. 15, 1819

- North Between Sec. 20 & 21, T13 N, R1 E, 2<sup>d</sup> Mer.
- 18.09 a W. Oak 10 in. dia. in the line
- 40.00 Set the q. Sec. post, from which  
 a Beech 15 in. dia. bears N49 E 28 lks. dist. of  
 a Maple 16 " " " N70 W 28 " "
- 41.32 a Beech 10 " " in the line
- 80.00 Set a post Cor. to Sec. 16, 17, 20 & 21, from which  
 a Sugar - in. dia. bears N75 W 25 lks. dist. of  
 a Do 14 " " " N41 W 17 " "
- Land very broken & high hills, timb. W. Oak & Beech



T13N R1E 2<sup>d</sup> Mer. Indiana

East On Random betw. Sec. 16 & 21, T13N, R1E.

40.00 Set temp. g. Sec. post.

80.73 Intersected the N & S. line, 72 lbs. S. of the Cor.  
First 1/2 mile a little broken - 2<sup>d</sup> 1/2 level 2<sup>d</sup> rate,  
timber, W. Red Oak, Poplar, Sugar & Beech

West On true line between Sec. 16 & 21, T13N, R1E.

40.36 1/2 Set g. Sec. post at av. dist. on true line from which  
a Poplar 54 m. dist. bear N 1 W 12 1/2 lbs. dist.  
a Beech 24 " " " S 75 E 2 " "

80.73 to Sec. Cor.

North Between Sec. 16 & 17, T13N, R1E 2<sup>d</sup> Mer.

10.50 a Poplar 48 in. diam. in the line

30.25 a Beech 15 " " " " "

40.00 Set a post for g. Sec. Cor. from which  
a Spruce 4 m. dist. bear S 71 E 14 1/2 lbs. dist.  
a Water Beech - " " " S 71 W 19 1/2 " "

40.80 a Brook 20 lbs. wide C. S. W.

67.20 a R. Oak 36 m. diam. in the line

71.20 a Brook 10 lbs. wide C. S. E.

75.75 a Hickory 14 m. diam. in the line

80.00 Set a post Cor. to Sec. 8, 9, 16 & 17, from which  
a Beech 10 m. diam. bear N 4 E 23 lbs. dist.  
a Hickory 9 " " " S 32 E 23 " "  
First 1/2 2<sup>d</sup> rate - 2<sup>d</sup> 1/2 mile poor land broken;  
timber, W. Oak, Beech, Hickory, Poplar &c.

East On Random between Sec. 9 & 16, T13N, R1E.

40.00 Set temp. g. Sec. post

80.28 Intersected the N & S. line 77 lbs. S. of Corner  
Land 2<sup>d</sup> rate, timber Hickory, Beech, Poplar, W.  
of R. Oak, &c.

T<sup>3</sup>S. R1E. 2<sup>d</sup>. Mer. Indiana

West On true line between Sec. 9 & 16, T<sup>3</sup>S. R1E.  
 40.14 hit q. Sec. post at av. dist. on true line, from which  
 a Blue Ash 14 in. diam. bears N 59° 13' W 13 lbs. dist. of  
 a Beech 6 " " " S 23° 17' W " "  
 80.28 to Sec. Cor. Sept. 16, 1819.

North Between Sec. 8 & 9, T<sup>3</sup>S. R1E. 2<sup>d</sup>. Mer.  
 10.20 a Sugar 9 in. diam. in the line  
 14.33 a Beech 12 " " " " "  
 40.00 hit the q. Sec. post, from which  
 a B. Ash 14 in. diam. bears N 61° 4' E 18 lbs. dist. of  
 a Beech 12 " " " N 76° 1/2' W 26 " "  
 58.25 a Sulphur Spring C. Mt.  
 72.50 a Beech 14 in. diam. bears in the line  
 80.00 hit a post Cor. to Sec. 4, 5, 8 & 9, from which  
 a Beech 4 in. diam. bears N 81° E 48 lbs. dist. of  
 a Do 10 " " " S 38° 4' W 68 " "  
 Land level 2<sup>d</sup>. rate; timber Beech, B. Ash,  
 B. Oak, Poplar & Sugar tree.

East On Random between Sec. 4 & 9, T<sup>3</sup>S. R1E.  
 40.00 hit temp. q. Sec. post  
 79.37 Intersected the N & S. line, 20 lbs. S. of the Corner  
 Land level 2<sup>d</sup>. rate, timber Beech, Sugar, Hickory  
 and Poplar

West On true line between Sec. 4 & 9, T<sup>3</sup>S. R1E.  
 39.87 1/2 hit q. Sec. post at av. dist. from which  
 a Lym 5 in. diam. bears N 12° W 12 lbs. dist. of  
 a Hickory 12 " " " N 82° E 23 " "  
 79.37 to Sec. Corner.

North Between Sec. 4 & 5, T<sup>3</sup>S. R1E. 2<sup>d</sup>. Mer.

T3 St. R1 E, 2<sup>d</sup>. Mer. Indiana

- 10.70 a Brook 10 lbs, wide C. S.  
 10.95 a Do 10 " " " S. E.  
 20.10 leave Brook after Crossing it Several times  
 27.72 a W. Oak 42 in. dia. in the line  
 40.00 At the q. Sec. post, from which  
     a Beech 14 in. dia. bears N 21 E 33 lbs, dist. 6  
     a Do 14 " " " S 75 W 37 " "  
 67.72 a Beech 20 " " in the line  
 83.32 Intersected the N. boundary 150 lbs. E. of post.  
     At a post Cor. to Sec. 4 & 5, from which  
     a Beech 6 in. dia. bears S 72 W 20 lbs, dist. 5  
     a Do 12 " " " N 42 E 26 " "  
 Land level 2<sup>d</sup>. rate, timber, Beech, Poplar, B.  
 Ash & Hickory. Sept. 17<sup>th</sup>. 1819

- North Between Sec. 31 & 32, T3 St. R1 E, 2<sup>d</sup>. Mer.  
 34.50 a W. Oak 48 in. dia. in the line  
 40.00 At the q. Sec. post, from which  
     a Beech 15 in. dia. bears N 15 E 36 lbs, dist. 6  
     a Do 12 " " " S 74 W 22 " "  
 58.18 a B. Hickory 20 " " in the line  
 69.80 a Beech 10 " " " " "  
 76.25 a Do 17 " " " " "  
 80.00 At a post Cor. to Sec. 29, 30, 31 & 32, from which  
     a Hickory 18 in. dia. bears S 38 W 31 lbs, dist. 6  
     a W. Oak 24 " " " S 60 E 31 1/2 " "  
 Land very broken 3<sup>d</sup>. rate, timber Beech, W. Oak,  
 Hickory, & Poplar.

- East On Random between Sec. 29 & 32, T3 St. R1 E.  
 40.00 At temp. q. Sec. post  
 81.00 Intersected the N & S. line 172 lbs. S. of post.  
 Broken 3<sup>d</sup>. rate, timber Oak, Hickory Poplar & Beech

## T3 N. R1 E. 2. Mer. Indiana

West On true line between Sec. 29 & 32, T3 N. R1 E.  
 40.50 Set of Sec. post at ang. dist. on true line, from which  
 a Beech 6 mi. dist. bears S65°W 15 lbs. dist. of  
 a Sugar 12 " " " N58°E 21 " "  
 81.00 to Sec. Corner.

North Between Sec. 29 & 30, T3 N. R1 E. 2. Mer.  
 22.19 a Beech 13 mi. dist. in the line  
 34.59 a do 12 " " " "  
 40.00 Set of Sec. post, from which  
 a Sugar tree 12 mi. dist. bears N74°W 9 lbs. dist. of  
 a do 12 " " " S63°E 22 " "  
 54.21 a Beech 18 " " in the line  
 80.00 Set a post Cor. to Sec. 19, 20, 29 & 30, from which  
 a Beech 4 mi. dist. bears N11½°E 9½ lbs. dist. of  
 a do 6 " " " N83°W 12½ " "  
 Land 3<sup>rd</sup> rate; timber Beech, Poplar, W. Oak &c.

East On Random betw. Sec. 20 & 29, T3 N. R1 E.  
 40.00 Set temp. of Sec. post  
 70.50 at Brook 40 lbs. wide C.P.S.  
 81.17 Intersected the N & S. line 170 lbs. South of Corner  
 Broken high hills, timber Poplar, Beech, W. Oak,  
 Red Oak &c.

West On true line between Sec. 20 & 29, T3 N. R1 E.  
 40.58½ Set of Sec. post at ang. dist. on true line, from which  
 a W. Oak 18 mi. dist. bears S58°E 4½ lbs. dist. of  
 81.17 to Section Corner Sept. 15, 1879.

North Between Sec. 19 & 20, T3 N. R1 E. 2. Mer.  
 34.04 a Poplar 4 mi. dist. in the line  
 40.00 Set the of Sec. post, from which



T3 N. R1 E. 2<sup>d</sup>. Mer. Indiana

a B. Oak 24 in. diam. bears S 85 E 34 lks. dist. of  
 a Sugar 8 " " " N 43 1/2 W 80 " "  
 63.95 a Beech 24 " " in the line  
 80.00 At a post Cor. to Sec. 17, 18, 19 & 20, from which  
 a Dogwood 3 in. diam. bears N 18 E 15 lks. dist. of  
 a Beech 4 " " " S 65 W 15 1/2 " "  
 Sand 1 1/2 ft. level 2<sup>d</sup> rate - 2<sup>d</sup> ft. Broken 2<sup>d</sup>.  
 rate; timber Beech, Poplar, B. Oak, Hickory,  
 Black Ash & some Cherry.

East On Random betw. Sec. 17 & 20, T3 N. R1 E.  
 40.00 At temp. of Sec. post  
 52.25 a Brook 44 lks. wide C.P. South  
 82.00 intersected the N & S. line 50 lks. S. of post.  
 Sand broken 2<sup>d</sup> rate, timber W. Oak, Beech,  
 Poplar & Sugar tree.

West On true line betw. Sec. 17 & 20, T3 N. R1 E.  
 41.00 At of Sec. post at av. dist. on true line from which  
 a Ironwood in. diam. bears N 28 W 6 1/2 lks. dist. of  
 a Beech 12 " " " S 41 1/2 E 28 " "  
 82.00 to Sec. Cor.

North Between Sec. 17 & 18, T3 N. R1 E. 2<sup>d</sup>. Mer.  
 24.07 a Brook 25 lks. wide C.P. E.  
 31.50 a B. Oak 20 in. diam. in the line  
 40.00 At the of Sec. post, from which  
 a Sugar 15 in. diam. bears N 80 W 23 lks. dist. of  
 a Ho 4 " " " S 12 E 9 " "  
 58.67 a Spring branch lks. wide C.P. E.  
 61.11 a Brook 25 lks. wide C.P. E.  
 76.27 a Spring branch 2 lks. wide C.P. W.  
 77.08 a Beech 8 in. diam. in the line

T3 N. R1 E. 2<sup>d</sup> Mer. Indiana

80.00 At a post. Cor. to Sec. 7, 8, 17 & 18, from which  
 a Beech 8 m. dist. bears N40°W28½°E. dist. of  
 a do 14 " " " N79°E29 " "  
 Land broken 2<sup>d</sup> rate, timber Beech, Sugar, Poplar,  
 Walnut, B. Oak & Hickory.

East On Random between Sec. 8 & 17, T3 N. R1 E.  
 40.00 At temp. q. Sec. post.  
 81.12 Intersected the N & S line 58 lks. S. of corner.  
 Land level 2<sup>d</sup> rate, timber, Hickory, Beech,  
 B. Oak & Poplar.

West On true line between Sec. 8 & 17, T3 N. R1 E.  
 40.56 At q. Sec. post at av. dist. from which  
 a Sugar 6 m. dist. bears N64½°W23 lks. dist. of  
 a B. Ash 21 " " " S24½°W33½ " "  
 81.12 to Sec. Corner.

North Between Sec. 7 & 8, T3 N. R1 E. 2<sup>d</sup> Mer.  
 5.70 a Brook 20 lks. wide Cr. M.  
 12.00 a do 20 " " " E.  
 40.00 At the q. Sec. post, from which  
 a Beech 24 m. dist. bears S30°E23 lks. dist. of  
 a do 12 " " " N47°W39 " "  
 76.50 a Beech 20 m. dist. in the line  
 80.00 At a post Cor. to Sec. 5, 6, 7 & 8, from which  
 a Beech 14 m. dist. bears S84°W18 lks. dist. of  
 a do 16 " " " S61°W43 " "  
 Land level 2<sup>nd</sup> rate; timber Beech, Hickory, B.  
 Ash, Poplar & Sycamore.

East On Random between Sec. 5 & 8, T3 N. R1 E.  
 40.00 At temp. q. Sec. post,

T3 N. R1 E. 2<sup>d</sup>. Mer. Indiana

55.75 a Brook 10 lbs. wide at S.W.  
 72.75 a Do 20 " " " S.W.  
 80.69 Intersected the N & S. line 18 lbs. N. of Corner.  
 Sand level 2<sup>d</sup> rate, timber Beech, Poplar,  
 Sugar, P. Oak, Sept. 18<sup>th</sup> 1819

Met Outcrop line between Sec. 5 & 8, T3 N. R1 E.  
 40.34<sup>1</sup>/<sub>2</sub> at the q. Sec. post at a q. dist. from which  
 a P. Ash 8 in. diam. bears N 47<sup>1</sup>/<sub>2</sub> W 1<sup>1</sup>/<sub>2</sub> lbs. dist. &  
 a Do 6 " " " S 10<sup>1</sup>/<sub>2</sub> W 19 " "  
 80.69 to Sec. Corner.

North Between Sec. 5 & 6, T3 N. R1 E. 2<sup>d</sup>. Mer.  
 8.50 a Beech 18 in. diam. in the line  
 40.00 at the q. Sec. post, from which  
 a Beech 16 in. diam. bears N 46<sup>1</sup>/<sub>2</sub> W 35 lbs. dist. &  
 a Do 8 " " " N 77<sup>1</sup>/<sub>2</sub> E 36 " "  
 40.55 a Beech 24 " " in the line  
 74.24 a Do 20 " " " " "  
 81.70 a Brook 3 lbs. wide at S.E.  
 82.50 Intersected the N. boundary 148 lbs. E. of post.  
 Set a post Cor. to Sec. 5 & 6, from which  
 an Elm 5 in. diam. bears S 10<sup>1</sup>/<sub>2</sub> W 20<sup>1</sup>/<sub>2</sub> lbs. dist. &  
 a Beech 7 " " " N 40<sup>1</sup>/<sub>2</sub> W 16 " "  
 Sand level 2<sup>d</sup> rate, timber Beech, Walnut,  
 Sugar, Oak, P. Ash, underg<sup>g</sup>. Spruce, Shrub, &c.  
 September 20<sup>th</sup> 1819.

Met Between Sec. 6 & 7, T3 N. R1 E. 2<sup>d</sup>. Mer.  
 12.00 a Beech 13 in. diam. in the line  
 19.00 a Brook 10 lbs. wide at S.—  
 40.00 at the q. Sec. post, from which  
 a Beech 9 in. diam. bears S 31<sup>1</sup>/<sub>2</sub> E 30 lbs. dist. &

T13 N. R1 E. 2<sup>d</sup>. Mer. Indiana

Sand Rock S 35 E 2 lrs. distant  
 a Beech 12 m. dia. brans N 78 E 25 lrs. dist.  
 44.00 Intersected the 2<sup>d</sup>. Mer. 71 lrs. S. of Corner  
 Set a post Corner to Sec. 6 & 7, from which  
 a Beech 12 m. dia. brans S 21 W 23 p. lrs. dist.  
 a do 24 " " " S 17 E 30 " "  
 Sand level 2<sup>d</sup>. rate, timber Beech, Angouree,  
 & Poplar

West Between Sec. 7 & 18, T13 N. R1 E. 2<sup>d</sup>. Mer.  
 2.18 a Sugar 20 m. dia. m. the line  
 2.50 a Brook 50 lrs. wide C.P. S.  
 5.50 leave the bottom & enter high land  
 23.00 a Beech 18 m. dia. m. the line  
 40.00 Set the q. Sec. post, from which  
 a Gray Ash 30 m. dia. brans S 2 E 23 p. lrs. dist.  
 a Beech 19 " " " S 9 W 26 " "  
 42.30 Intersected the 2<sup>d</sup>. Mer. 82 lrs. S. of Corner.  
 Set a post Cor. to Sec. 7 & 18, from which  
 a Cherry tree 4 m. dia. brans S 71 W 15 lrs. dist.  
 a Hickory 5 " " " S 32 W 10 " "  
 Sand level rich, timber, Beech, Sugar, ash,  
 Poplar, Walnut & some Buckeye

West Between Sec. 18 & 19, T13 N. R1 E. 2<sup>d</sup>. Mer.  
 4.25 a Beech 18 m. dia. m. the line  
 23.62 a Red Oak 36 " " " "  
 40.00 Set the q. Sec. post, from which  
 a Beech 30 m. dia. brans N 48 E 39 lrs. dist.  
 a Hickory 10 " " " S 59 W 12 " "  
 41.20 Intersected the 2<sup>d</sup>. Mer. 75 lrs. S. of the Corner.  
 Set a post Corner to Sec. 18 & 19, from which  
 a Hickory 4 m. dia. brans N 55 W 14 lrs. dist.  
 an Ironwood 7 " " " S 58 W 7 " "



T13 N. R1 E 2<sup>nd</sup> Mer Indiana

First 1/2 mile broken & hilly land, thin Soil, timber  
Beech, Hickory, Spruce, Ash, and Oak

Met Between Sec. 19 & 30, T13 N. R1 E.

2.40 a Sugar 19 m. dia. in the line

30.32 a Beech 12 " " " "

40.00 Set the q. Sec. post, from which (on side of hollow)  
a Beech 6 m. dia. bears S43 E 40 lks. dist. of  
a Hickory 12 " " " N42 1/2 W 24 " "

41.05 Intersected the 2<sup>nd</sup> Meridian 99 lks. S. of Corner  
Set a post Cor. to Sec. 19 & 30, from which  
a Gray Ash 10 m. dia. bears S30 E. 25 lks. dist. of  
a Beech 19 " " " N35 E 24 " "

Land very broken & hilly thin Soil, timber Beech  
Sugar, Ash, Oak & Hickory.

Met Between Sec. 30 & 31, T13 N. R1 E.

4.95 a Beech 14 m. dia. in the line

35.61 a W. Oak 36 " " " "

40.00 Set the q. Sec. post, from which  
a W. Oak 30 m. dia. bears S2 1/2 E 33 lks. dist. of  
a do 24 " " " N23 E 7 " "

40.75 Intersected the 2<sup>nd</sup> Mer. 7 1/2 lks. S. of the corner.  
Set a post Cor. to Sec. 30 & 31, from which  
a W. Oak 12 m. dia. bears N72 W 20 1/2 lks. dist. of  
a do 28 " " " S44 E 27 " "

Land poor & broken, timber W & B. Oak &  
Beech, underg<sup>th</sup>. Oak Grubs. Sept. 20<sup>th</sup> 1819.  
Surveyed by John Milroy, A.S.

I certify that the foregoing transcript of field notes of  
Township N. 13 N. Range N. 1 E. of T. 1 N. Indiana  
has been compared with original notes in this office,  
and found to be correct.

Surveyor General's Office  
Cincinnati, Dec. 24, 1846.

C. S. Rains  
Sur. Genl.